

No. HPSEBL/F&A/WA-36-2021-1644-45 DT 1.10.2021

To

The Superintending Engineer,
(OP), Circle HPSEBL Mandi

**Sub:- Regarding non-submission of compliance of internal audit report by
Sr. XEN Electrical Division HPSEBL Gohar for the financial year 2020-21.**


Sir/Madam

Your kind attention is invited toward the letters refer to in the margin vide which compliance of the internal audit report for the financial year 2020-21 was desired from the Sr. XEN Electrical Division HPSEBL Gohar but it is regretted to point out that the same has not been received till date.

It is therefore requested that the matter may be assigned top priority and being time bound matter at your personal level. It may be ensured that compliance of the above report shall reach in this office on or before 08.10.2021 please.

NO.HPSEBL/F&A/WA-36/2021-470-74 Dated -01.07.2021 &
NO.HPSEBL/F&A/WA-36/2021-966-68 Dated -04.09.2021


Yours faithfully


Chief Auditor
HPSEBL F&A Wing
Shimla-4

Copy to the following for information and similar necessary action

1. Sr. XEN Electrical Division HPSEBL Gohar for taking further necessary action without any further delay feeling which this office shall have no other option to report the lackadaisical approach toward the audit and audit instructions.

✓ 2. M. Superintending Engineer (IT) Vikram Bhunia Shimla
For upload in HPSEBL website.


Chief Auditor
HPSEBL F&A Wing
Shimla-4

IT Cell HPSEBL V.B. Shimla-4

Sr. Electrical Engineer

Sr. Electrical Engineer (IT)

APPROVED