




"CORRIGENDUM"

"Please read the agency charges @ 5% Rs.2000/- instead of 6% Rs.2400/- which had earlier conveyed the approval vide this office order No.10 dated 03-04-2023 and further endorsement No. HPSEBL (SECTT.)/2-6(OS)/2023-1184-90 dated 03-04-2023.

Other terms and conditions shall be unchanged.

(MONAJ KUMAR)

Executive Director (Pers.)

H.P. State Electricity Board Ltd,

Vidyut Bhawan, Shimla-4. 02/05/23

- No. HPSEBL(Sectt.) HRD/2-6/ALDC/2023-8819-24 Dated;- 4-5-23
1. The Chief Engineer(System Operation) HPSEBL Shimla
 2. The Chief Accounts Officer, HPSEBL Vidyut Bhawan, Shimla.
 3. The Resident Audit Officer, HPSEBL Shimla-4
 4. The Superintending Engineer (PR&ALDC) control center, HPSEBL Totu Shimla with reference to letter No. HPSEBL/PR&ALDC/PC-67(Vol-VI)/2023- 226 dated 27-04-2023 for information and necessary action in the matter.
 5. The Superintending Engineer(IT) for uploading the same in the website of HPSEBL.
 6. Guard File in this office.

(MONAJ KUMAR)

Executive Director (Pers.)

H.P. State Electricity Board Ltd,

Vidyut Bhawan, Shimla-4. 02/05/23

000